

NCERT SOLUTIONS

CLASS - 7TH



aglasem.com

Class : 7th
Subject : Maths
Chapter : 13

Chapter Name : Exponents and Powers

Exercise 13.1

Q1 Find the value of:

(i) 2^6

(ii) 9^3

(iii) 11^2

(iv) 5^4

Answer. (i) $2^6 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 = 64$

(ii) $9^3 = 9 \times 9 \times 9 = 729$

(iii) $11^2 = 11 \times 11 = 121$

(iv) $5^4 = 5 \times 5 \times 5 \times 5 = 625$

Page : 252 , Block Name : Exercise 13.1

Q2 Express the following in exponential form:

(i) $6 \times 6 \times 6 \times 6$ (ii) $t \times t$ (iii) $b \times b \times b \times b$ (iv) $5 \times 5 \times 7 \times 7 \times 7$ (v) $2 \times 2 \times a \times a$ (vi) $a \times a \times a \times c \times c \times c \times c \times d$

Answer. (i) $6 \times 6 \times 6 \times 6 = 6^4$

(ii) $t \times t = t^2$

(iii) $b \times b \times b \times b = b^4$

(iv) $5 \times 5 \times 7 \times 7 \times 7 = 5^2 \times 7^3$

(v) $2 \times 2 \times a \times a = 2^2 \times a^2$

(vi) $a \times a \times a \times c \times c \times c \times c \times d = a^3c^4d$

Page : 252 , Block Name : Exercise 13.1

Q3 Express each of the following numbers using exponential notation: (i) 512 (ii) 343 (iii) 729 (iv) 3125

Answer. (i) $512 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 = 2^9$

(ii) $343 = 7 \times 7 \times 7 = 7^3$

$$(iii) 729 = 3 \times 3 \times 3 \times 3 \times 3 \times 3 = 3^6$$

$$(iv) 3125 = 5 \times 5 \times 5 \times 5 \times 5 = 5^5$$

Page : 253 , Block Name : Exercise 13.1

Q4 Identify the greater number, wherever possible, in each of the following?

$$(i) 4^3 \text{ or } 3^4$$

$$(ii) 5^3 \text{ or } 3^5$$

$$(iii) 2^8 \text{ or } 8^2$$

$$(iv) 100^2 \text{ or } 2^{100}$$

$$(v) 2^{10} \text{ or } 10^2$$

$$\text{Answer. (i) } 4^3 = 4 \times 4 \times 4 = 64$$

$$3^4 = 3 \times 3 \times 3 \times 3 = 81$$

$$\text{Therefore, } 3^4 > 4^3$$

$$(ii) 5^3 = 5 \times 5 \times 5 = 125$$

$$3^5 = 3 \times 3 \times 3 \times 3 \times 3 = 243$$

$$\text{Therefore, } 3^5 > 5^3$$

$$(iii) 2^8 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 = 256$$

$$8^2 = 8 \times 8 = 64$$

$$\text{Therefore, } 2^8 > 8^2$$

$$(iv) 100^2 \text{ or } 2^{100}$$

$$2^{10} = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 = 1024$$

$$2^{100} = 1024 \times 1024 \times 1024 \times 1024 \times 1024 \times 1024 \times 1024 \times 1024 \times 1024 \times 1024$$

$$100^2 = 100 \times 100 = 10000$$

$$\text{Therefore, } 2^{100} > 100^2$$

$$(v) 2^{10} \text{ and } 10^2$$

$$2^{10} = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 = 1024$$

$$10^2 = 10 \times 10 = 100$$

$$\text{Therefore, } 2^{10} > 10^2$$

Page : 253 , Block Name : Exercise 13.1

Q5 Express each of the following as product of powers of their prime factors: (i) 648 (ii)

405 (iii) 540 (iv) 3,600

$$\text{Answer. (i) } 648 = 2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 3 = 2^3 \cdot 3^4$$

$$(ii) 405 = 3 \times 3 \times 3 \times 3 \times 5 = 3^4 \cdot 5$$

$$(iii) 540 = 2 \times 2 \times 3 \times 3 \times 3 \times 5 = 2^2 \cdot 3^3 \cdot 5$$

$$(iv) 3600 = 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 5 \times 5 = 2^4 \cdot 3^2 \cdot 5^2$$

Page : 253 , Block Name : Exercise 13.1

Q6 Simplify:

- (i) 2×10^3
- (ii) $7^2 \times 2^2$
- (iii) $2^3 \times 5$
- (iv) 3×4^4
- (v) 0×10^2
- (vi) $5^2 \times 3^3$
- (vii) $2^4 \times 3^2$
- (viii) $3^2 \times 10^4$

Answer. (i) $2 \times 10^3 = 2 \times 10 \times 10 \times 10 = 2 \times 1000 = 2000$

(ii) $7^2 \times 2^2 = 7 \times 7 \times 2 \times 2 = 49 \times 4 = 196$

(iii) $2^3 \times 5 = 2 \times 2 \times 2 \times 5 = 8 \times 5 = 40$

(iv) $3 \times 4^4 = 3 \times 4 \times 4 \times 4 \times 4 = 3 \times 256 = 768$

(v) $0 \times 10^2 = 0 \times 10 \times 10 = 0$

(vi) $5^2 \times 3^3 = 5 \times 5 \times 3 \times 3 \times 3 = 25 \times 27 = 675$

(vii) $2^4 \times 3^2 = 2 \times 2 \times 2 \times 2 \times 3 \times 3 = 16 \times 9 = 144$

(viii) $3^2 \times 10^4 = 3 \times 3 \times 10 \times 10 \times 10 \times 10 = 9 \times 10000 = 90000$

Page : 253 , Block Name : Exercise 13.1

Q7 Simplify:

- (i) $(-4)^3$
- (ii) $(-3) \times (-2)^3$
- (iii) $(-3)^2 \times (-5)^2$
- (iv) $(-2)^3 \times (-10)^3$

Answer. (i) $(-4)^3 = (-4) \times (-4) \times (-4) = -64$

(ii) $(-3) \times (-2)^3 = (-3) \times (-2) \times (-2) \times (-2) = 24$

(iii) $(-3)^2 \times (-5)^2 = (-3) \times (-3) \times (-5) \times (-5) = 9 \times 25 = 225$

(iv) $(-2)^3 \times (-10)^3 = (-2) \times (-2) \times (-2) \times (-10) \times (-10) \times (-10)$
 $= (-8) \times (-1000) = 8000$

Page : 253 , Block Name : Exercise 13.1

Q8 Compare the following numbers:

(i) 2.7×10^{12} ; 1.5×10^8

(ii) 4×10^{14} ; 3×10^{17}

Answer. (i) 2.7×10^{12} ; 1.5×10^8

$$2.7 \times 10^{12} > 1.5 \times 10^8$$

(ii) 4×10^{14} ; 3×10^{17}

$$3 \times 10^{17} > 4 \times 10^{14}$$

Page : 253 , Block Name : Exercise 13.1

Exercise 13.2

Q1 Using laws of exponents, simplify and write the answer in exponential form:

(i) $3^2 \times 3^4 \times 3^8$

(ii) $6^{15} \div 6^{10}$

(iii) $a^3 \times a^2$

(iv) $7^x \times 7^2$

(v) $(5^2)^3 \div 5^3$

(vi) $2^5 \times 5^5$

(vii) $a^4 \times b^4$

(viii) $(3^4)^3$

(ix) $(2^{20} \div 2^{15}) \times 2^3$

(x) $8^t \div 8^2$

Answer. (i) $3^2 \times 3^4 \times 3^8 = (3)^{2+4+8} (a^m \times a^n = a^{m+n})$
 $= 3^{14}$

(ii) $6^{15} \div 6^{10} = (6)^{15-10} (a^m \div a^n = a^{m-n})$
 $= 6^5$

(iii) $a^3 \times a^{(3+2)} (a^m \times a^n = a^{m+n})$
 $= a^5$

(iv) $7^x \times 7^2 = 7^{x+2} (a^m \times a^n = a^{m+n})$

(vi) $2^5 \times 5^5$

$= (2 \times 5)^5 [a^m \times b^m = (a \times b)^m]$

$= 10^5$

(vii) $a^4 \times b^4$

$= (ab)^4 [a^m \times b^m = (a \times b)^m]$

$$\begin{aligned}
 (3^4)^3 &= 3^{4 \times 3} = 3^{12} (a^m)^n = a^{mn} \\
 (1x) (2^{20} \div 2^{15}) \times 2^3 & \\
 &= (2^{20-15}) \times 2^3 (a^m \div a^n = a^{m-n}) \\
 &= 2^5 \times 2^3 \\
 &= (2^{5+3}) (a^m \times a^n = a^{m+n}) \\
 &= 2^8 \\
 (x)g^t \div 8^2 &= g^{(t-2)} (a^m \div a^n = a^{m-n})
 \end{aligned}$$

Page : 260 , Block Name : Exercise 13.2

Q2 Simplify and express each of the following in exponential form:

- (i) $\frac{2^3 \times 3^4 \times 4}{3 \times 32}$
 (ii) $\left((5^2)^3 \times 5^4 \right) \div 5^7$
 (iii) $25^4 \div 5^3$
 (iv) $\frac{3 \times 7^2 \times 11^8}{21 \times 11^3}$
 (v) $\frac{3^7}{3^4 \times 3^3}$
 (vi) $2^0 + 3^0 + 4^0$
 (vii) $2^0 \times 3^0 \times 4^0$
 (viii) $(3^0 + 2^0) \times 5^0$
 (ix) $\frac{2^8 \times a^5}{4^3 \times a^3}$
 (x) $\left(\frac{a^5}{a^3} \right) \times a^8$
 (xi) $\frac{4^5 \times a^8 b^3}{4^5 \times a^5 b^2}$
 (xii) $(2^3 \times 2)^2$

Answer. (i) $\frac{2^3 \times 3^4 \times 4}{3 \times 32} = \frac{2^3 \times 3^4 \times 2 \times 2}{3 \times 2 \times 2 \times 2 \times 2 \times 2} = \frac{2^3 \times 3^4 \times 2^2}{3 \times 2^5}$
 $= \frac{2^{3+2} \times 3^4}{3 \times 2^5}$
 $(a^m \times a^n = a^{m+n})$
 $= \frac{2^5 \times 3^4}{3 \times 2^5}$
 $= 2^{5-5} \times 3^{4-1}$
 $(a^m \div a^n = a^{m-n})$
 $= 2^0 3^3 = 1 \times 3^3 = 3^3$
 (ii) $\left[(5^2)^3 \times 5^4 \right] \div 5^7$
 $= \left[5^{2 \times 3} \times 5^4 \right] \div 5^7 (a^m)^n = a^{mn}$
 $= \left[5^6 \times 5^4 \right] \div 5^7$

$$\begin{aligned}
 &= [5^{6+4}] \div 5^7 \quad (a^m \times a^n = a^{m+n}) \\
 &= 5^{10} \div 5^7 \\
 &= 5^{10-7} \quad (a^m \div a^n = a^{m-n}) \\
 &= 5^3
 \end{aligned}$$

$$\begin{aligned}
 \text{(iii)} \quad &25^4 \div 5^3 = (5 \times 5)^4 \div 5^3 \\
 &= (5^2)^4 \div 5^3 \\
 &= 5^{2 \times 4} \div 5^3 \quad (a^m)^n = a^{mn} \\
 &= 5^8 \div 5^3 \\
 &= 5^{8-3} \quad (a^m \div a^n = a^{m-n}) \\
 &= 5^5
 \end{aligned}$$

$$\begin{aligned}
 \text{(iv)} \quad &\frac{3 \times 7^2 \times 11^8}{21 \times 11^3} = \frac{3 \times 7^2 \times 11^8}{3 \times 7 \times 11^3} \\
 &= 3^{1-1} \times 7^{2-1} \times 11^{8-3} \\
 &\quad (a^m \div a^n = a^{m-n}) \\
 &= 3^0 \times 7^1 \times 11^5 \\
 &= 1 \times 7 \times 11^5 = 7 \times 11^5
 \end{aligned}$$

$$\begin{aligned}
 \text{(v)} \quad &\frac{3^7}{3^4 \times 3^3} = \frac{3^7}{3^{4+3}} \\
 &\quad (a^m \times a^n = a^{m+n}) \\
 &= \frac{3^7}{3^7} = 3^{7-7} \\
 &\quad (a^m \times a^n = a^{m-n}) \\
 &= 3^0 = 1
 \end{aligned}$$

$$\text{(vi)} \quad 2^0 + 3^0 + 4^0 = 1 + 1 + 1 = 3$$

$$\text{(vii)} \quad 2^0 \times 3^0 \times 4^0 = 1 \times 1 \times 1 = 1$$

$$\text{(viii)} \quad (3^0 + 2^0) \times 5^0 = (1 + 1) \times 1 = 2$$

$$\begin{aligned}
 \text{(ix)} \quad &\frac{2^8 \times a^5}{4^3 \times a^3} = \frac{2^8 \times a^5}{(2 \times 2)^3 \times a^3} = \frac{2^8 \times a^5}{(2^2)^3 \times a^3} \\
 &= \frac{2^8 \times a^5}{(2^{2 \times 3}) \times a^3}
 \end{aligned}$$

$$\begin{aligned}
 &[(a^m)^n = a^m] \\
 &= \frac{2^8 \times a^5}{2^6 \times a^3} \\
 &= 2^{8-6} \times a^{5-3} \\
 &\quad (a^m \times a^n = a^{m-n}) \\
 &= 2^2 \times a^2 = (2 \times a)^2 \\
 &[a^m \times b^m = (a \times b)^m] \\
 &= (2a)^2
 \end{aligned}$$

$$\begin{aligned}
 \text{(x)} \quad &\left(\frac{a^5}{a^3}\right) \times a^8 = a^{5-3} \times a^8 \\
 &\quad (a^m \div a^n = a^{m-n}) \\
 &= a^2 \times a^8 \\
 &= a^{2+8} = a^{10} \\
 &\quad (a^m \times a^n = a^{m+n})
 \end{aligned}$$

$$\text{(xi)} \quad \frac{4^5 \times a^8 b^3}{4^5 \times a^5 b^2} = 4^{5-5} \times a^{8-5} \times b^{3-2}$$

$$\begin{aligned}
 & (a^m \div a^n = a^{m-n}) \\
 & = 4^0 \times a^3 \times b^1 = 1 \times a^3 \times b = a^3b \\
 \text{(xii)} & (2^3 \times 2)^2 = (2^{3+1})^2 (a^m \times a^n = a^{m+n}) \\
 & = (2^4)^2 = 2^{4 \times 2} (a^m)^n = a^{mn} \\
 & = 2^8
 \end{aligned}$$

Page : 260 , Block Name : Exercise 13.2

Q3 Say true or false and justify your answer:

(i) $10 \times 10^{11} = 100^{11}$

(ii) $2^3 > 5^2$

(iii) $2^3 \times 3^2 = 6^5$

(iv) $3^0 = (1000)^0$

Answer. (i) $10 \times 10^{11} = 100^{11}$

L.H.S = $10 \times 10^{11} = 10^{11+1} (a^m \times a^n = a^{m+n})$
 $= 10^{12}$

R.H.S = $100^{11} = (10 \times 10)^{11} = (10^2)^{11}$
 $= 10^{2 \times 11} = 10^{22} (a^m)^n = a^{mn}$

As L.H.S \neq R.H.S.,

Therefore, the given statement is false.

(ii) $2^3 > 5^2$

L.H.S = $2^3 = 2 \times 2 \times 2 = 8$

R.H.S = $5^2 = 5 \times 5 = 25$

As $25 > 8$

Therefore, the given statement is false.

(iii) $2^3 \times 3^2 = 6^5$

L.H.S = $2^3 \times 3^2 = 2 \times 2 \times 2 \times 3 \times 3 = 72$

R.H.S = $6^5 = 7776$

As L.H.S \neq R.H.S.,

Therefore, the given statement is false.

(iv) $3^0 = (1000)^0$

L.H.S = $3^0 = 1$

R.H.S = $(1000)^0 = 1 = \text{L.H.S}$

Therefore, the given statement is true.

Page : 260 , Block Name : Exercise 13.2

Q4 Express each of the following as a product of prime factors only in exponential form:

(i) 108×192 (ii) 270 (iii) 729×64 (iv) 768

Answer. (i) 108×192
 $= (2 \times 2 \times 3 \times 3 \times 3) \times (2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3)$
 $= (2^2 \times 3^3) \times (2^6 \times 3)$
 $= 2^{6+2} \times 3^{3+1} \quad (a^m \times a^n = a^{m+n})$
 $= 2^8 \times 3^4$
(ii) $270 = 2 \times 3 \times 3 \times 3 \times 5 = 2 \times 3^3 \times 5$
(iii) $729 \times 64 = (3 \times 3 \times 3 \times 3 \times 3 \times 3) \times (2 \times 2 \times 2 \times 2 \times 2 \times 2)$
 $= 3^6 \times 2^6$
(iv) $768 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3 = 2^8 \times 3$

Page : 261 , Block Name : Exercise 13.2

Q5 Simplify:

(i) $\frac{(2^5)^2 \times 7^3}{8^3 \times 7}$
(ii) $\frac{25 \times 5^2 \times t^8}{10^3 \times t^4}$
(iii) $\frac{3^5 \times 10^5 \times 25}{5^7 \times 6^5}$

Answer. (i) $\frac{(2^5)^2 \times 7^3}{8^3 \times 7} = \frac{2^{5 \times 2} \times 7^3}{(2 \times 2 \times 2)^3 \times 7} \quad [(a^*)^n = a^{-m}]$
 $= \frac{2^{10} \times 7^3}{(2^3)^3 \times 7} = \frac{2^{10} \times 7^3}{2^{3 \times 3} \times 7} \quad [(a^m)^n = a^{mn}]$
 $= \frac{2^{10} \times 7^3}{2^9 \times 7} = 2^{10-9} \times 7^{3-1} \quad (a^m \div a^n = a^{m-n})$
 $= 2^1 \times 7^2 = 2 \times 7 \times 7 = 98$
(ii) $\frac{25 \times 5^2 \times t^8}{10^3 \times t^4} = \frac{5 \times 5 \times 5^2 \times t^8}{(5 \times 2)^3 \times t^4} \quad (a \times b)^m = (a^m \times b^m)$
 $= \frac{5^{1+1+2} \times t^8}{5^3 \times 2^3 \times t^4} \quad (a^m \times a^n = a^{m+n})$
 $= \frac{5^4 \times t^8}{5^3 \times 2^3 \times t^4} = \frac{5^{4-3} \times t^{8-4}}{2^3} \quad (a^m \div a^n = a^{m-n})$
 $= \frac{5^1 \times t^4}{2 \times 2 \times 2} = \frac{5t^4}{8}$
(iii) $\frac{3^5 \times 10^5 \times 25}{5^7 \times 6^5} = \frac{3^5 \times (2 \times 5)^5 \times 5 \times 5}{5^7 \times 2^5 \times 3^5}$
 $= \frac{3^5 \times 2^5 \times 5^5 \times 5^2}{5^7 \times 2^5 \times 3^5} \quad (a \times b)^m = (a^m \times b^m)$
 $= \frac{3^5 \times 2^5 \times 5^{5+2}}{5^7 \times 2^5 \times 3^5} \quad (a^m \times a^n = a^{m+n})$
 $= \frac{3^5 \times 2^5 \times 5^7}{5^7 \times 2^5 \times 3^5}$
 $= 3^{5-5} \times 2^{5-5} \times 5^{7-7} \quad (a^m \div a^n = a^{m-n})$
 $= 3^0 \times 2^0 \times 5^0 = 1 \times 1 \times 1 = 1$

Page : 261 , Block Name : Exercise 13.2

Exercise 13.3

Q1 Write the following numbers in the expanded forms:

279404, 3006194, 2806196, 120719, 20068

$$\begin{aligned} \text{Answer. } 279404 &= 2 \times 10^5 + 7 \times 10^4 + 9 \times 10^3 + 4 \times 10^2 + 0 \times 10^1 + 4 \times 10^0 \\ 3006194 &= 3 \times 10^6 + 0 \times 10^5 + 0 \times 10^4 + 6 \times 10^3 + 1 \times 10^2 + 9 \times 10^1 + 4 \times 10^0 \\ 2806196 &= 2 \times 10^6 + 8 \times 10^5 + 0 \times 10^4 + 6 \times 10^3 + 1 \times 10^2 + 9 \times 10^1 + 6 \times 10^0 \\ 120719 &= 1 \times 10^5 + 2 \times 10^4 + 0 \times 10^3 + 7 \times 10^2 + 1 \times 10^1 + 9 \times 10^0 \\ 20068 &= 2 \times 10^4 + 0 \times 10^3 + 0 \times 10^2 + 6 \times 10^1 + 8 \times 10^0 \end{aligned}$$

Page : 263 , Block Name : Exercise 13.3

Q2 Find the number from each of the following expanded forms:

- (a) $8 \times 10^4 + 6 \times 10^3 + 0 \times 10^2 + 4 \times 10^1 + 5 \times 10^0$
 (b) $4 \times 10^5 + 5 \times 10^3 + 3 \times 10^2 + 2 \times 10^0$
 (c) $3 \times 10^4 + 7 \times 10^2 + 5 \times 10^0$
 (d) $9 \times 10^5 + 2 \times 10^2 + 3 \times 10^1$

$$\begin{aligned} \text{Answer. (a) } &8 \times 10^4 + 6 \times 10^3 + 0 \times 10^2 + 4 \times 10^1 + 5 \times 10^0 \\ &= 86045 \\ \text{(b) } &4 \times 10^5 + 5 \times 10^3 + 3 \times 10^2 + 2 \times 10^0 \\ &= 405302 \\ \text{(c) } &3 \times 10^4 + 7 \times 10^2 + 5 \times 10^0 \\ &= 30705 \\ \text{(d) } &9 \times 10^5 + 2 \times 10^2 + 3 \times 10^1 \\ &= 900230 \end{aligned}$$

Page : 263 , Block Name : Exercise 13.3

Q3 Express the following numbers in standard form:

- (i) 5,00,00,000 (ii) 70,00,000 (iii) 3,18,65,00,000 (iv) 3,90,878 (v) 39087.8 (vi) 3908.78

$$\begin{aligned} \text{Answer. (i) } &50000000 = 5 \times 10^7 \\ \text{(ii) } &7000000 = 7 \times 10^6 \\ \text{(iii) } &3186500000 = 3.1865 \times 10^9 \end{aligned}$$

$$(iv) 390878 = 3.90878 \times 10^5$$

$$(v) 39087.8 = 3.90878 \times 10^4$$

$$(vi) 3908.78 = 3.90878 \times 10^3$$

Page : 263 , Block Name : Exercise 13.3

Q4 Express the number appearing in the following statements in standard form.

(a) The distance between Earth and Moon is 384,000,000 m. (b) Speed of light in vacuum is 300,000,000 m/s. (c) Diameter of the Earth is 1,27,56,000 m. (d) Diameter of the Sun is 1,400,000,000 m. (e) In a galaxy there are on an average 100,000,000,000 stars. (f) The universe is estimated to be about 12,000,000,000 years old. (g) The distance of the Sun from the centre of the Milky Way Galaxy is estimated to be 300,000,000,000,000,000 m. (h) 60,230,000,000,000,000,000,000 molecules are contained in a drop of water weighing 1.8 gm. (i) The earth has 1,353,000,000 cubic km of sea water. (j) The population of India was about 1,027,000,000 in March, 2001.

Answer. (i) 3.84×10^8 m

(ii) 3×10^8 m/s

(iii) 1.2756×10^7 m

(iv) 1.4×10^9 m

(v) 1×10^{11}

(vi) 1.2×10^{10}

(vii) 3×10^{20} m

(viii) 6.023×10^{22}

(ix) 1.353×10^9 cubic km

(x) 1.027×10^9

Page : 263 , Block Name : Exercise 13.3