

NCERT SOLUTIONS


CLASS - 10th



aglasem.com

Q1 What would be the electron dot structure of carbon dioxide which has the formula CO_2 ?

Answer. Electron dot structure of CO_2 is




Page : 61 , Block Name : Questions

Q2 What would be the electron dot structure of a molecule of sulphur which is made up of eight atoms of sulphur?

(Hint – The eight atoms of sulphur are joined together in the form of a ring.)

Answer. Electron dot structure of a sulphur molecule




Q1 How many structural isomers can you draw for pentane?

Answer. Three structural isomers are possible for pentane.

(i)



(ii)



(iii)



Q2 What are the two properties of carbon which lead to the huge number of carbon compounds we see around us?


Answer. The two features of carbon that give rise to a large number of compounds are as follows:

(i) Catenation — It is the ability to form bonds with other atoms of carbon.

(ii) Tetravalency — With the valency of four, carbon is capable of bonding with four other atoms.

Q3 What will be the formula and electron dot structure of cyclopentane?

Answer. The formula for cyclopentane is C_5H_{10} . Its electron dot structure is given below.



Page : 68 , Block Name : Questions

Q4 Draw the structures for the following compounds.

(i) Ethanoic acid


(ii) Bromopentane*

(iii) Butanone


(iv) Hexanal. *Are structural isomers possible for bromopentane?

Answer.


(i)




(ii) There are many structural isomers possible for bromopentane. Among them, the structures of three isomers are given.



(iii)




(iv)



Page : 69 , Block Name : Questions

Q5 How would you name the following compounds?



Answer. (i) Bromo ethane

(ii) Methanal

(iii) Hex-1-yne

Page : 69 , Block Name : Questions

Q1 Why is the conversion of ethanol to ethanoic acid an oxidation reaction?



Since the conversion of ethanol to ethanoic acid involves the addition of oxygen to ethanol, it is an oxidation reaction.

Page : 71 , Block Name : Questions

Q2 A mixture of oxygen and ethyne is burnt for welding. Can you tell why a mixture of ethyne and air is not used?



When ethyne is burnt in air, it gives a sooty flame. This is due to incomplete combustion caused by limited supply of air.

However, if ethyne is burnt with oxygen, it gives a clean flame with temperature 3000°C because of complete combustion.

This oxy-acetylene flame is used for welding.

It is not possible to attain such a high temperature without mixing oxygen.

This is the reason why a mixture of ethyne and air is not used.

Page : 71 , Block Name : Questions

Q1 How would you distinguish experimentally between an alcohol and a carboxylic acid?

Answer. We can distinguish between an alcohol and a carboxylic acid on the basis of their reaction with carbonates and hydrogen carbonates. Acid reacts with carbonate and hydrogen carbonate to

evolve CO_2 gas that turns lime water milky.

Metal Carbonate / Metal Hydrogen Carbonate + Carboxylic acid $\rightarrow$ Salt + Water + Carbon dioxide

Alcohols, on the other hand, do not react with carbonates and hydrogen carbonates.

Page : 74 , Block Name : Questions

Q2 What are oxidising agents?

Answer. Some substances such as alkaline potassium permanganate and acidified potassium dichromate are capable of adding oxygen to others. These are known as oxidising agents.

Page : 74 , Block Name : Questions

Q1 Would you be able to check if water is hard by using a detergent?

Answer. Detergents are ammonium or sulphonate salts of long chain carboxylic acids. Unlike soap, they do not react with calcium and magnesium ions present in hard water to form scum. They give a good amount of lather irrespective of whether the water is hard or soft.

This means that detergents can be used in both soft and hard water. Therefore, it cannot be used to check whether the water is hard or not.

Page : 76 , Block Name : Questions

Q2 People use a variety of methods to wash clothes. Usually after adding the soap, they 'beat' the clothes on a stone, or beat it with a paddle, scrub with a brush or the mixture is agitated in a washing machine. Why is agitation necessary to get clean clothes?

Answer. A soap molecule has two parts namely hydrophobic and hydrophilic. With the help of these, it attaches to the grease or dirt particle and forms a cluster called micelle. These micelles remain suspended as a colloid. To remove these micelles (entrapping the dirt), it is necessary to agitate clothes.

Page : 76 , Block Name : Questions

Q1 Ethane, with the molecular formula C_2H_6 has

- (a) 6 covalent bonds.
- (b) 7 covalent bonds.
- (c) 8 covalent bonds.
- (d) 9 covalent bonds.

Answer. (b) Ethane has 7 covalent bonds.

Page : 77 , Block Name : Exercise

Q2 Butanone is a four-carbon compound with the functional group

- (a) carboxylic acid.
- (b) aldehyde.

- (c) ketone.
- (d) alcohol.

Answer. (c) The functional group of butanone is ketone.

Page : 77 , Block Name : Exercise

Q3 While cooking, if the bottom of the vessel is getting blackened on the outside, it means that

- (a) the food is not cooked completely.
- (b) the fuel is not burning completely.
- (c) the fuel is wet.
- (d) the fuel is burning completely.

Answer. (b) While cooking, if the bottom of the vessel is getting blackened on the outside, then it means that the fuel is not burning completely.

Page : 77 , Block Name : Exercise


Q4 Explain the nature of the covalent bond using the bond formation in CH_3Cl .

Answer. Carbon can neither lose four of its electrons nor gain four electrons as both the processes require extra amount of energy and would make the system unstable.

Therefore, it completes its octet by sharing its four electrons with other carbon atoms or with atoms of other elements.

The bonds that are formed by sharing electrons are known as covalent bonds.

In covalent bonding, both the atoms share the valence electrons, i.e., the shared electrons belong to the valence shells of both the atoms.



Here, carbon requires 4 electrons to complete its octet, while each hydrogen atom requires one electron to complete its duplet. Also, chlorine requires an electron to complete the octet.

Therefore, all of these share the electrons and as a result, carbon forms 3 bonds with hydrogen and one with chlorine.

Page : 78 , Block Name : Exercise

Q5 Draw the electron dot structures for

(a) ethanoic acid.

(b) H_2S

(c) propanone.

(d) F_2 .

Answer.



Page : 78 , Block Name : Exercise

Q6 What is an homologous series? Explain with an example.

Answer. A homologous series is a series of carbon compounds that have different numbers of carbon atoms but contain the same functional group. For example, methane, ethane, propane, butane, etc. are all part of the alkane homologous series.

The general formula of this series is $\text{C}_n\text{H}_{2n+2}$.

Methane CH_4

Ethane CH_3CH_3

Propane $\text{CH}_3\text{CH}_2\text{CH}_3$

Butane $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_3$

It can be noticed that there is a difference of $-\text{CH}_2$ unit between each successive compound.

Page : 78 , Block Name : Exercise


Q7 How can ethanol and ethanoic acid be differentiated on the basis of their physical and chemical properties?

Answer. Ethanol is a liquid at room temperature with a pleasant odour while ethanoic acid has vinegar-like smell. The melting point of ethanoic acid is 17°C . This is below room temperature and hence, it freezes during winters.

Ethanoic acid reacts with metal carbonates and metal hydrogen carbonates to form salt, water, carbon dioxide gas while ethanol does not react with them.


Metal Carbonates + Metal Hydrogen carbonates + Carboxylic acid $\rightarrow$

Salt + Water + Carbon dioxide For example,



Metal Carbonates{Metal Hydrogen carbonates + Alcohols -> No reaction


For example-



Page : 78 , Block Name : Exercise

Q8 Why does micelle formation take place when soap is added to water? Will a micelle be formed in other solvents such as ethanol also?

Answer. Soap molecules have two ends with different properties. One end is hydrophilic, which dissolves in water and other end is hydrophobic, it dissolves in hydrocarbons. When soap is added to water, the ionic end of soap will form a unique orientation and keep the hydrocarbon tail away from it. The cluster of molecules is formed in which the hydrophobic tails are in the interior of the cluster and the ionic ends are on the surface of the cluster. Hence, micelle formation takes place. Soap is soluble in ethanol hence the micelle formation will not take place.



Page : 78 , Block Name : Exercise

Q9 Why are carbon and its compounds used as fuels for most applications?

Answer. Most of the carbon compounds give a lot of heat and light when burnt in air. Saturated hydrocarbons burn with a clean flame and no smoke is produced. The carbon compounds, used as a fuel, have high calorific values. Therefore, carbon and its compounds are used as fuels for most applications.

Page : 78 , Block Name : Exercise

Q10 Explain the formation of scum when hard water is treated with soap.

Answer. Soap does not work properly when the water is hard. A soap is a sodium or potassium salt of long chain fatty acids. Hard water contains salts of calcium and magnesium. When soap is

added to hard water, calcium and magnesium ions present in water displace sodium or potassium ions from the soap molecules forming an insoluble substance called scum. A lot of soap is wasted in the process.

Page : 78 , Block Name : Exercise

Q11 What change will you observe if you test soap with litmus paper (red and blue)?

Answer. Since soap is basic in nature, it will turn red litmus blue. However, the colour of blue litmus will remain blue.

Page : 78 , Block Name : Exercise

Q12 What is hydrogenation? What is its industrial application?

Answer. Hydrogenation is the process of addition of hydrogen. Unsaturated hydrocarbons are added with hydrogen in the presence of palladium and nickel catalysts to give saturated hydrocarbons.



Page : 78 , Block Name : Exercise

Q13 Which of the following hydrocarbons undergo addition reactions: C_2H_6 , C_3H_8 , C_3H_6 , C_2H_2 and CH_4 .

Answer. Unsaturated hydrocarbons undergo addition reactions. Being unsaturated hydrocarbons,, C_3H_6 and C_2H_2 undergo addition reactions.

Page : 78 , Block Name : Exercise

Q14 Give a test that can be used to differentiate between saturated and unsaturated hydrocarbons.


Answer. Butter contains saturated fats. Therefore, it cannot be hydrogenated. On the other hand,

oil has unsaturated fats. That is why it can be hydrogenated to saturated fats (solids).

Page : 78 , Block Name : Exercise

Q15 Explain the mechanism of the cleaning action of soaps.

Answer. Cleansing action of soaps: The dirt present on clothes is organic in nature and insoluble in water. Therefore, it cannot be removed by only washing with water. When soap is dissolved in water, its hydrophobic ends attach themselves to the dirt and remove it from the cloth. Then, the molecules of soap arrange themselves in micelle formation and trap the dirt at the centre of the cluster. These micelles remain suspended in the water. Hence, the dust particles are easily rinsed away by water.



Page : 78 , Block Name : Exercise